



Safety Data Sheet

(SDS)

Product name	DS-7402M
---------------------	-----------------

1. Chemical product and enterprise logo

A. Name of product: DS-7402M

B. Recommended use of the product and the limitation on use

☐ Recommended use : germicide, connection of electricity. Coinage

☐ Limitation on use : N/A

C. Producer and supplier: Doosan Electronics

Name of producing company : Doosan Electronics

Address: 40, Doosan Road, Jeungpyungeup, Jeungpyungkun, Chungbuk, Korea

Phone: +82-43-820-8502

Name of Supplier Company: Doosan Electronics

Address: 40, Doosan Road, Jeungpyungeup, Jeungpyungkun, Chungbuk, Korea

Phone: +82-43-820-8502

2. Hazard overview

A. Classification of harmfulness. Danger

☐ Physical danger : No data available

☐ Health harmfulness : Target organ whole body toxicity – 1 time exposure, classification 3 – stimulation of respiratory organ
Target organ whole body toxicity – repeated exposure classification 1

☐ Environmental harmfulness : Not classified

B. Warning sign items including preventive measures phrases

☐ Pictorial character:

☐ Signal language:: Danger

☐ Harmfulness.danger phrases:

Can stimulate respiratory organ

If exposed for a long time or repeatedly causes damage on (...)organ

☐ Preventive Measures Phrases

Prevention : Avoid inhaling dust.fume.mist.vapor.spray

Treat only outdoors or in the place of good ventilation

Response : If you inhaled move to the place with fresh air and rest yourself with a posture you can easily breath

If you feel discomfort see your doctor (go to the hospital).

Storage : Preserve the container tightly sealed in the place with good ventilation.

Preserve tightly sealed.

Disposal : Dispose the contents. Container following the details clarified in the related laws.

C. Other harmfulness.danger not included in the criteria of classification of harmfulness.danger

Cas number	Health	Fire	Response
<input type="radio"/> 007440-50-8 :	1	1	0
<input type="radio"/> 028064-14-4 :	-	-	-
<input type="radio"/> 035948-25-5 :	-	-	-
<input type="radio"/> 021645-51-2	-	-	-
<input type="radio"/> 060676-86-0	-	-	-
<input type="radio"/> 065997-17-3 :	-	-	-

3. Ingredient/composition information

Name of chemical	Usual name and other names	CAS Number / Identification number	Content(%)
Copper	Copper	7440-50-8	5 - 86
Novolac Epoxy Resin	-	28064-14-4	5 - 25
Organic phosphorus-based reactive flame retardant	Phosphorous modified resin	35948-25-5	1 - 10
Aluminum Hydroxide	-	21645-51-2	1 - 6
Amorphous Composite Silica	-	60676-86-0	1 - 11
Glass cloth	-	65997-17-3	5- 60

4. First-aid measures

A. Eye exposure

In case of eyes contacting chemical, wash it away with large quantity of water for at least 20 minutes.

Move up and down the eyelids occasionally.

In case of chemical getting into the eyes immediately consult a doctor and take medical treatment.

B. Skin exposure

If irritation continues or worsens consult a doctor.

Remove clothes and shoes contaminated by chemicals and wash the wounds with soapy water for more than 15 minutes.

In case of eyes contacting chemical, wash it away with large quantity of water for at least 20 minutes.

C. Inhalation

If the influence due to exposure appears, move the patient immediately to the area not contaminated and supply fresh air.

In case of no breath conduct artificial respiration and get medical help immediately.

In case of difficulty in breathing supply oxygen following the direction of doctors.

In case of inhaling chemicals immediately consult a doctor and take medical treatment.

D. Ingestion

Induce vomiting.

In case the patient is conscious, supply water or milk of 2 ~ 4 cups.

If the patient is unconscious prohibit all takings.

If the patient took or drank chemicals immediately consult a doctor and take medical treatment.

E. The most major symptom/influence of acute and chronic illness

Copper

Cough or sore throat when inhaling

F. First aid and the matters that require attention of doctors

Let the medical staffs know of the contaminated situations so that they too can take appropriate protective measures.

5. Fire safety measures

A. Appropriate (inappropriate) fire extinguisher

☐ Appropriate fire extinguisher Powder fire extinguishing chemicals. Carbon dioxide. Water spray. General foam

☐ Inappropriate fire extinguisher Water

B. Particular harmfulness generated from chemicals

☐ Risk of fire and explosion : There is a danger of fire.

C. Protective equipment to put on when extinguishing fire and preventive measures

Put on protective garment which can protect the whole body.

6. Leak Emergency Treatment

A. Measures and protective equipments necessary to protect human body

Take measures of isolation of exposed area and control the access of people except for the concerned persons.

For future disposal collect and dispose leaked materials to appropriate container.

Move to the place of good ventilation.

Follow the OSHA respiration protective equipment regulation (29 CFR 1910.134) or European Standard EN 149.

Keep distance of radius of more than 25 ~ 50m from the leaking point and control the entry of people except for the concerned persons.

Put on Self-Contained Breathing Apparatus (SCBA Apparatus)

B. Measures necessary to protect environment

☐ Atmosphere: No data available

☐ Earth : No data available

☐ Under water : No data available

C. Method of purification or removal

☐ In case of leaking a little amount: N/A

☐ In case of leaking large amount: Escape at least 50m opposite to the direction of 1st wind.

7. Operation, Disposal and Storage

A. Safe treatment method :

Treat only in the place with good ventilation

Minimize the generation and accumulation of dust.

Avoid inhaling of dust and direct skin contact.

B. Method of safe storage :

Preserve it in a tightly sealed container

Store in cool and dry place.

Store in a place of good ventilation

A. Standard of exposure of chemicals and biological standard of exposure etc.

- Domestic regulation

☐ ACGIH Regulation

☐ OSHA Regulation

☐ NIOSH Regulation

☐ Biological exposure standard

: No data

: Install local ventilation apparatus and manage to maintain suitable controlled wind speed.

Confirm whether the work process is appropriate for allowed standard and exposure standard of the Ministry of Employment and Labor.

Install sealed facilities or local ventilation apparatus.

○ Protection of respiratory organ Put on respiratory protective apparatus certified by Korea Occupational Safety and Health Agency

○ Eye protection : install emergency washing facilities (shower-type) and eyes washing facilities so that the workers can easily use.

Put on goggles for chemicals described in eyes, face protection regulation (29 CFR 1910.133) of OSHA or EN166.

Put on protective goggles to protect the eyes from scattering materials.

○ Hands protection: Put on anti-chemical protective gloves to avoid direct contact of chemicals with the hands.

○ Body protection : Put on anti-chemical protective garment which can prevent skin exposure.

[illegible]

J. Ignition highest/lowest value	No data available	No data available	No data available	No data available	No data available	No data available
K. Steam pressure	1 at 1628 C	No data available	No data available	No data available	No data available	No data available
L. Solubility	No data available	No data available	No data available	No data available	No data available	No data available
M. Vapor density	No data available	0.0000288 mmHg	No data available	No data available	No data available	No data available
N. Specific gravity	No data available	No data available	No data available	No data available	No data available	No data available
O. n-octanol/water distribution coefficient	No data available	No data available	No data available	No data available	No data available	No data available
P. Spontaneous ignition temperature	No data available	No data available	No data available	No data available	No data available	No data available
Q. Decomposition temperature	No data available	No data available	No data available	No data available	No data available	No data available
R. Viscosity	No data available	No data available	No data available	No data available	No data available	No data available
S. Molecular weight	63.546	216.17	No data available	No data available	No data available	No data available

10. Stability and Reactivity

- A. Chemical stability :** Stable in normal temperature and pressure
- B. Possibility of harmful response :** No polymerization
- C. Condition to avoid :** Avoid contact with mixture-prohibited material.
- D. Material to avoid :** Water
- E. Harmful material generated when decomposing**
- ☐ Copper : Stimulative, corrosive and toxic gas

11. Information on toxicity

A. Information on highly possible exposure route

- ☐ Inhaling through respiratory organ
: No data
- ☐ Taking through the mouth
: No data
- ☐ Skin contact
: No data
- ☐ Eyes contact
: No data

B. Delayed, acute and chronic influence by short-term and long-term exposure

- ☐ Acute toxicity:
- Through the mouth: No data available within the extent of selected DATABASE
 - Through the skin: No data available within the extent of selected DATABASE
 - Inhaling: No data available within the extent of selected DATABASE
- ☐ Skin corrosiveness/ stimulation: No data available within the extent of selected DATABASE
- ☐ Severe eyes damage/Stimulation: No data available within the extent of selected DATABASE
- ☐ Respiratory organ hypersensitiveness: No data available within the extent of selected DATABASE
- ☐ Skin hypersensitiveness: No data available within the extent of selected DATABASE
- ☐ Carcinogenicity: No data available within the extent of selected DATABASE
- ☐ Reproductive cell mutagenicity: No data available within the extent of selected DATABASE
- ☐ Reproductive toxicity: No data available within the extent of selected DATABASE
- ☐ Target organ whole body toxicity (1 time exposure) No data available within the extent of selected DATABASE
- ☐ Target organ whole body toxicity (repeated exposure) No data available within the extent of selected DATABASE
- ☐ Inhale harmfulness : No data available within the extent of selected DATABASE

C. Numerical measure of toxicity (acute toxicity assumed values) : No data

12. Ecological Information

A. Aquatic and land animal ecological toxicity:

- ☐ Fishes : No data available
- ☐ Crustacean : No data available
- ☐ Algal : No data available

B. Residual and resolvability:

- ☐ Residual : No data available
- ☐ Resolvability: No data available

C. Living organism condensability:

- ☐ Biodegradability : No data available
- ☐ Condensability : No data available

D. Soil movability: No data available

E. Other harmful influence: No data available

13. Waste Disposal**A. Method of disposal**

: Dispose the content container following the regulation in case indicated in the waste management law.

B. Matters that require attention when disposing(including the method of disposing contaminated container and packing)

: Please consider the matters that require attention in case indicated in the waste management law.

14. Transport Information**# Copper**

- A. UN number :** 3089
- B. UN optimal shipping name :** METAL POWDER, FLAMMABLE, N.O.S.
- C. Grade of danger in transportation :** 4.1
- D. Container grade :** 2
- E. Marine pollution material :** No data available
- F. Special safety measures necessary, or necessary for user to know about the transportation or means of transportation :**
- ☐ Kinds of emergency measures in case of fire: F-G
- ☐ Kinds of emergency measures in case of leaking: S-G

15. Information on Laws and Regulations**# Copper**

- A. Regulation by Industry Safety and Health Law :** Work environment measurement material (measurement cycle: 6 months)
Management object material
Special health diagnosis material (diagnosis cycle: 12 months)
Exposure standard setting material
- B. Regulation by Harmful Chemical Material Management Law :** Not applicable
- C. Regulation by Dangerous Material Safety Management Law :** Not applicable
- D. Regulation by Waste Management Law :** Designated Waste
- E. Other regulation by domestic and foreign laws :**
- ☐ Residual organic pollution material management law: Not applicable
- ☐ EU Classification Information
- Determined classification result: No data available
- Danger phrase: No data available
- Prevention measure phrase: No data available
- ☐ US management information
- ‘– OSHA Regulation: Not Applicable
- ‘– CERCLA 103 Regulation (40CFR302.4) : 2267.995 kg 5000 lb
- ‘– EPCRA 302 Regulation (40CFR355.30) : Not Applicable
- ‘– EPCRA 304 Regulation (40CFR355.40) : Not Applicable
- ‘– EPCRA 313 Regulation (40CFR372.65) : Not Applicable
- ☐ Rotterdam Agreement Material: Not Applicable
- ☐ Stockholm Agreement material : Not Applicable
- ☐ Montreal Protocol material : Not Applicable

Glass cloth

- A. Regulation by Industry Safety and Health Law :** Not applicable
- B. Regulation by Harmful Chemical Material Management Law :** Not applicable
- C. Regulation by Dangerous Material Safety Management Law :** Not applicable

D. Regulation by Waste Management Law : Not applicable

E. Other regulation by domestic and foreign laws :

- ☐ Residual organic pollution material management law: Not applicable
- ☐ EU Classification Information
- Determined classification result: No data available
- Danger phrase: No data available
- Prevention measure phrase: No data available
- ☐ US management information
 - '- OSHA Regulation: Not Applicable
 - '- CERCLA 103 Regulation (40CFR302.4) : Not Applicable
 - '- EPCRA 302 Regulation (40CFR355.30) : Not Applicable
 - '- EPCRA 304 Regulation (40CFR355.40) : Not Applicable
 - '- EPCRA 313 Regulation (40CFR372.65) : Not Applicable
- ☐ Rotterdam Agreement Material: Not Applicable
- ☐ Stockholm Agreement material : Not Applicable
- ☐ Montreal Protocol material : Not Applicable

16. Other information

A. Source of the material : OECD Screening Information Data Set(<http://webnet.oecd.org/hpv/UI/Search.aspx>)
European chemical Substances Information System(ECB-ESIS)(<http://ecb.jrc.it/esis>)
International Uniform Chemical Information Database(IUCSID)(<http://ecb.jrc.it/esis>)
National Library of Medicine(NLM)(<http://toxnet.nlm.nih.gov/cgi-bin/sis/htmlgen?CHEM>)
National Library of Medicine/Hazardous Substances Data Bank(NLM/HSDB)(<http://toxnet.nlm.nih.gov/cgi-bin/sis/htmlgen?HSDB>)
International Chemical Safety Cards (ICSC)(<http://www.ilo.org/public/english/protection/safework/cis/products/icsc/dtasht/index.htm>)
National Emergency Management Agency(<http://www.nema.kr/hazmat/main/main.jsp>)
Chemical Substances Hazard Assessment Report/Initial Risk Assessment Report(http://www.safe.nite.go.jp/english/sougou/view/TotalSrchnInput_en.faces)
NITE(http://www.safe.nite.go.jp/ghs/h18_list.html)
The ECOTOXicology database (ECOTOX)(http://cfpub.epa.gov/ecotox/quick_query.htm)
Akron University(<http://ull.chemistry.uakron.edu/erd/>)
Emergency Response Guidebook(2008)
International Agency for Research on cancer(IARC)(<http://monographs.iarc.fr/ENG/Classification/index.php>)

B. The first date of making : July 09, 2014

C. Number of Amendment and the last date of amendment : 7/ April 20, 2023

D. Others

The contents of this material cannot be modified arbitrarily or used in commercial purpose.